

SCALE: 1"=30'



SCALE: 1"=30'

**LANDSCAPE LEGEND**


- PROPOSED DECIDUOUS TREE
- EXISTING DECIDUOUS TREE
- PROPOSED ORNAMENTAL TREE
- PROPOSED EVERGREEN TREE
- EXISTING EVERGREEN TREE
- PROPOSED SHRUBS

**LIGHTING LEGEND**

- EXISTING LIGHT POLE-RELOCATED (EXISTING LOCATIONS SHOWN ON DEVELOPMENT PLAN, D-1)
- NEW LIGHT POLE 18 FT. HT. 85 0L-DWS 50'-502-120 BRIX FIXTURE SAWN - 25 0R-1H7-BRIX POLE WITH A PHOTOCELL
- NEW LIGHT POLE 25 FT. HT. 185 0L-DWS 50'-502-120 BRIX FIXTURE SAWN - 25 0R-1H7-BRIX POLE WITH A PHOTOCELL
- NOTE: LUMINAIRES SHALL BE INDUCTION (Q1) LAMP; PHILLIPS INC.

**LIGHTING NOTES**

1. CONTRACTOR SHALL ADJUST FINAL POLE AND LUMINAIRE LOCATIONS AS NECESSARY TO ENSURE THAT ALL PHOTOCELL DESIGN REQUIREMENTS WILL BE MET.
2. ALL POLE MAIL AND SAG SPECIFICATIONS SHALL BE SEEN WITH METHODS AND MATERIALS APPROVED BY U.L. FOR THE PARTICULAR SYSTEM.
3. ALL SITE LIGHTING FIXTURES SHALL BE INSTALLED IN ACCORDANCE WITH THE NATIONAL ELECTRIC CODE (1993) REQUIREMENTS.
4. GROUND ALL SITE LIGHTING EQUIPMENT IN ACCORDANCE WITH THE NATIONAL ELECTRIC CODE (1993) REQUIREMENTS.
5. TWO SEPARATE WIRING AND POWER SUPPLY SYSTEMS FOR THE CITY AND THE DEVELOPER'S SITE. LOCATE A POWER PANEL FOR THE CITY SYSTEM AND A POWER PANEL FOR THE DEVELOPER'S SYSTEM.
6. LIGHTING SYSTEMS SHALL BE AS DESIGNED BY A LICENSED ELECTRICAL ENGINEER.
7. CONTRACTOR SHALL VERIFY ALL LIGHTING EQUIPMENT WITH FIELD CONDITIONS. FUTURE CONDITIONS SHOWN ARE APPROXIMATIONS AND MAY REQUIRE MINOR ADJUSTMENTS TO SATISFY THE DESIGN INTENT.



**Dig Safety.**  
New York  
800-962-7962  
www.digsafetyny.com  
Call before You Dig  
Mark The Location  
Confirm Utility Response  
Respect the Mark  
Dig With Care

	<p><b>McCord Snyder</b> Landscape Architecture, PLLC 2129 Frae Mole Lane Road Ferdinand, New York 14258</p>	<p>CONTRACT # 0213 McCord Snyder Landscape Architecture, PLLC Serving All Regions</p>	<p><b>PROJECT</b> STEAMBOAT LANDING HOTEL &amp; CONFERENCE CENTER 205 LAKE SHORE DRIVE CANANDAIGUA, NY</p>	<p><b>TITLE OF DRAWING</b> LANDSCAPE &amp; LIGHTING PLAN</p>	<p><b>DATE</b> 01/30/13</p>	<p><b>DRAWN BY</b> JIS</p>	<p><b>CHECKED BY</b> DCM</p>	<p><b>SCALE</b> 1"=30'-0"</p>	<p><b>REVISIONS</b></p> <table border="1"> <tr> <th>NO.</th> <th>DATE</th> <th>BY</th> </tr> <tr> <td>1</td> <td></td> <td></td> </tr> </table>	NO.	DATE	BY	1			<p><b>PROJECT NO.</b> 708</p>	<p><b>DRAWING NO.</b> L-1</p>
	NO.	DATE	BY														
1																	
<p>10 OF 15</p>																	